

## Sectioning commands with critical notes

This file provides examples of using sectioning command with reledmac. The section titles are in the line numbering, and have critical and side notes.

We use the `\reledxxx` commands, each of them in their own `\pstart . . . \pend` group.

Page breaks are manually added before chapter with `\beforeledchapter`.



# Chapter 1

## 1 chapter

chapter

2 I use git to manage some packages. I would like to add a pre-commit hook, to  
3 check if I have forgotten For now, I have a minimal pre-commit, which tests only the  
4 blank spaces at ends of lines, but not the forgotten..

### 1.1 section

section

#### 1.1.1 subsection

subsection

##### subsubsection

subsubsection

8 I use git to manage some packages. I would like to add a pre-commit hook, to  
9 check if I have forgotten For now, I have a minimal pre-commit, which tests only the  
10 blank spaces at ends of lines, but not the forgotten.

### 1.2 section

section

12 I use git to manage some packages. I would like to add a pre-commit hook, to  
13 check if I have forgotten For now, I have a minimal pre-commit, which tests only the  
14 blank spaces at ends of lines, but not the forgotten.

---

1 chapter] chapitre  
6 subsection] sous-section  
7 subsubsection] sous-sous-section



# Chapter 2

## 15 chapter

chapter

16 I use git to manage some packages. I would like to add a pre-commit hook, to  
17 check if I have forgotten For now, I have a minimal pre-commit, which tests only the  
18 blank spaces at ends of lines, but not the forgotten..

### 2.1 section

section

#### 2.1.1 subsection

subsection

##### subsubsection

subsubsection

22 I use git to manage some packages. I would like to add a pre-commit hook, to  
23 check if I have forgotten For now, I have a minimal pre-commit, which tests only the  
24 blank spaces at ends of lines, but not the forgotten.

### 2.2 section

section

26 I use git to manage some packages. I would like to add a pre-commit hook, to  
27 check if I have forgotten For now, I have a minimal pre-commit, which tests only the  
28 blank spaces at ends of lines, but not the forgotten.

---

15 chapter ] chapitre  
20 subsection ] sous-section  
21 subsubsection ] sous-sous-section